



=> d l1  
 L1 HAS NO ANSWERS  
 L1 STR



Structure attributes must be viewed using STN Express query preparation.

=> d l6  
 L6 HAS NO ANSWERS  
 L6 STR



Structure attributes must be viewed using STN Express query preparation.

=> d his

(FILE 'HOME' ENTERED AT 09:30:22 ON 24 OCT 2002)

FILE 'REGISTRY' ENTERED AT 09:30:27 ON 24 OCT 2002

L1 STRUCTURE UPLOADED  
 L2 50 S L1  
 L3 23281 S L1 FULL  
 L4 STRUCTURE UPLOADED  
 L5 50 S L4  
 L6 STRUCTURE UPLOADED  
 L7 50 S L6  
 L8 1193595 S 1-2/NR AND 1/O  
 L9 50 S L6 SAM SUB=L8  
 L10 41444 S L6 FUL SUB=L8  
 L11 1 S CARBON DIOXIDE/CN

FILE 'CAPLUS' ENTERED AT 09:35:40 ON 24 OCT 2002

L12 22611 S L3  
 L13 132002 S L10  
 L14 143745 S L11  
 L15 6919 S L3/P  
 L16 29762 S L10/RCT  
 L17 159 S L15 AND L16  
 L18 16 S L14 AND L17  
 L19 774793 S ?CATALYST?  
 L20 10 S L18 AND L19  
 L21 2332 S HOMOGENEOUS (W) ?CATALYST?  
 L22 0 S L21 AND L18  
 L23 0 S L20 AND L21  
 L24 8 S L20 AND ?ALCOHOL?

FILE 'USPATFULL' ENTERED AT 09:54:08 ON 24 OCT 2002

L25 2312 S L3/P  
L26 21 S L25 AND L11  
L27 15 S L26 AND ?ALCOHOL?  
L28 3 S L27 AND (ALKYLENE OXIDE?)  
L29 31 S L25 AND (HOMOGENEOUS CATALYST?)  
L30 1 S L29 AND L11  
L31 1 S L30 AND ?ALCOHOL?  
L32 1 S L31 AND (ALKYLENE OXIDE?)